| | Document ID | Issue Date | Pages | Title | Current OR |
|----|----------------------|------------|-------|---|---------------|
| 1 | US 20050190873 A1 | 20050901 | 18 | Digital-data receiver synchronization method and apparatus | 375/354 |
| 2 | US 20040105516 A1 | 20040603 | 19 | Digital-data receiver synchronization | 375/354 |
| 3 | US 20040015058 A1 | 20040122 | 24 | Wireless medical diagnosis and monitoring equipment | 600/301 |
| 4 | US 20030128777 A1 | 20030710 | 25 | Decision directed phase locked loops (DD-PLL) with multiple initial phase and/or frequency estimates in digital communication systems | 375/327 |
| 5 | US 20030112899 A1 | 20030619 | 26 | Decision directed phase locked loops (DD-PLL) with excess processing power in digital communication systems | 375/327 |
| 6 | US 20030103582 A1 | 20030605 | 24 | Selective reed-solomon error correction decoders in digital communication systems | 375/327 |
| 7 | US 20020145457 A1 | 20021010 | 52 | PLL device and programmable frequency- division device | 327/159 |
| 8 | US 20020105365 A1 | 20020808 | 17 | Phase-locked loop circuit | 327/156 |
| 9 | US 20010048330 A1 | 20011206 | 11 | Clock generator and digital or telephone poratble terminal using the same | 327/157 |
| 10 | US 20010048329 A1 | 20011206 | 52 | PLL device and programmable frequency- division device | 327/156 |
| 11 | US 6973145 B1 | 20051206 | 18 | Digital-data receiver synchronization method and apparatus | 375/354 |
| 12 | US 6957204 B1 | 20051018 | 20 | Oscillatary neurocomputers with dynamic connectivity | 706/26 |
| 13 | US 6925135 B2 | 20050802 | 19 | Digital-data receiver synchronization | 375/354 |
| 14 | US 6628605 B1 | 20030930 | 17 | Method and apparatus for efficiently transmitting multiple data signals | 370/208 |
| 15 | US 6577893 B1 | 20030610 | 23 | Wireless medical diagnosis and monitoring equipment | 600/509 |
| 16 | US 6522183 B2 | 20030218 | 47 | PLL device and programmable frequency-division device | 327/159 |

| | Current XRef | Inventor |
|----|---|----------------------------------|
| 1 | 375/239 | Smith, Stephen F. et al. |
| 2 | | Smith, Stephen F. et al. |
| 3 | 600/27 | Besson, Marcus et al. |
| 4 | 375/376 | Linsky, Stuart T. et al. |
| 5 | 327/156; 329/307; 375/376 | Linsky, Stuart T. et al. |
| 6 | | Linsky, Stuart T. et al. |
| 7 | 375/376 | Sumi, Yasuaki |
| 8 | | Kudo, Mamoru et al. |
| 9 | | Oda, Toshiyuki |
| 10 | | Sumi, Yasuaki |
| 11 | 375/376 | Smith; Stephen F. et al. |
| 12 | 706/15 | Hoppensteadt; Frank C. et al. |
| 13 | 375/376 | Smith; Stephen F. et al. |
| 14 | 370/343; 375/356 | Chang; Charles E. |
| 15 | | Besson; Marcus et al. |
| 16 | 327/150; 327/160; 331/DIG. 2; 375/376 | Sumi; Yasuaki |

| | Document ID | Issue Date | Pages | Title | Current OR |
|----|---------------|------------|-------|--|---------------|
| 17 | US 6373314 B1 | 20020416 | 11 | Clock generator and digital or telephone portable terminal using the same | 327/291 |
| 18 | US 6353490 B1 | 20020305 | 22 | C/N performance of broadband two-way transmission of RF signals over transmission mediums with limited bandwidth | 398/66 |
| 19 | US 6307411 B1 | 20011023 | 13 | Wide tracking range, auto ranging, low jitter phase lock loop for swept and fixed frequency systems | 327/156 |
| 20 | US 6289238 B1 | 20010911 | 24 | Wireless medical diagnosis and monitoring equipment | 600/509 |
| 21 | US 6091941 A | 20000718 | 100 | Radio apparatus | 455/126 |
| 22 | US 6081698 A | 20000627 | 102 | Radio apparatus and offset compensating method | 455/126 |
| 23 | US 5957854 A | 19990928 | 22 | Wireless medical diagnosis and monitoring equipment | 600/509 |
| 24 | US 5903823 A | 19990511 | 103 | Radio apparatus with distortion compensating function | 455/126 |
| 25 | US 5862803 A | 19990126 | 22 | Wireless medical diagnosis and monitoring equipment | 600/508 |
| 26 | US 5819161 A | 19981006 | 12 | Two way radio set utilizing a single oscillator | 455/86 |
| 27 | US 5488631 A | 19960130 | 39 | Wireless direct-sequence spread spectrum TDMA communications system | 375/145 |
| 28 | US 4783791 A | 19881108 | 10 | Multiple reproducing repeater station system | 375/211 |
| 29 | US 4096360 A | 19780620 | 13 | Multichannel record disc reproducing system | 369/47.1 6 |

| | Current XRef | Inventor |
|----|---|------------------------------|
| 17 | 327/106; 327/157 | Oda; Toshiyuki |
| 18 | 398/163 | Singer; Samuel et al. |
| 19 | 14/3/4/13 | Kerner; Thomas M. |
| 20 | 128/903 | Besson; Marcus et al. |
| 21 | 330/149; 375/297 | Moriyama; Yukihiro et al. |
| 22 | 330/149; 375/297 | Moriyama; Yukihiro et al. |
| 23 | 128/903 | Besson; Marcus et al. |
| 24 | 330/149; 375/297 | Moriyama; Yukihiro et al. |
| 25 | 128/903 | Besson; Marcus et al. |
| 26 | 455/118 | Saito; Shin |
| 27 | 375/146; 375/149; 380/34 | Gold; Kenneth S. et al. |
| 28 | 375/376 | Yoshino; Ryozo |
| 29 | 329/326; 369/175; 369/88; 369/90; 381/1 | Takahashi; Nobuaki et al. |

Printed by EAST

UserID:

QGhulamali

Computer:

WS05201

Date:

12/29/05

Time:

4:03 PM

| | Document ID | Issue Date | Pages | Title | Current OR |
|----|-----------------------|------------|-------|---|---------------|
| 1 | US 20050190873 A1 | 20050901 | 18 | Digital-data receiver synchronization method and apparatus | 375/354 |
| 2 | US 20040105516 A1 | 20040603 | 19 | Digital-data receiver synchronization | 375/354 |
| 3 | US 20040015058 A1 | 20040122 | 24 | Wireless medical diagnosis and monitoring equipment | 600/301 |
| 4 | US 20030112899 A1 | 20030619 | 26 | Decision directed phase locked loops (DD-PLL) with excess processing power in digital communication systems | 375/327 |
| 5 | US 20030013428 A1 | 20030116 | 56 | radio-frequency circuitry | 455/259 |
| 6 | US 20030008630 A I | 20030109 | 6 | Antenna receiver in which carrier-to-noise ratio of demodulation signal is improved | 455/323 |
| 7 | US 20020129661 A I | 20020919 | 50 | Vortex flowmeter | 73/861.2 2 |
| 8 | US 6973145 B1 | 20051206 | 18 | Digital-data receiver synchronization method and apparatus | 375/354 |
| 9 | US 6957204 B1 | 20051018 | 20 | Oscillatary neurocomputers with dynamic connectivity | 706/26 |
| 10 | US 6925294 B2 | 20050802 | 7 | Antenna receiver in which carrier-to-noise ratio of demodulation signal is improved | 455/323 |
| 11 | US 6925135 B2 | 20050802 | 19 | Digital-data receiver synchronization | 375/354 |
| 12 | US 6845457 B1 | 20050118 | 32 | Method and apparatus for controlling transitions between a first and a second clock frequency | 713/322 |
| 13 | US 6836824 B1 | 20041228 | 31 | Method and apparatus for reducing power consumption in a cache memory system | 711/118 |
| 14 | US 6748546 B1 | 20040608 | 31 | Method and apparatus for reducing power consumption | 713/320 |

| | Current XRef | Inventor |
|----|--|----------------------------------|
| 1 | 375/239 | Smith, Stephen F. et al. |
| 2 | | Smith, Stephen F. et al. |
| 3 | 600/27 | Besson, Marcus et al. |
| 4 | 327/156; 329/307; 375/376 | Linsky, Stuart T. et al. |
| 5 | | Marques, Augusto M. et al. |
| 6 | 455/318 | Ohtaki, Yukio |
| 7 | | Clarke, David W. et al. |
| 8 | 375/376 | Smith; Stephen F. et al. |
| 9 | 706/15 | Hoppensteadt; Frank C. et al. |
| 10 | 375/327; 455/260 | Ohtaki; Yukio |
| 11 | 375/376 | Smith; Stephen F. et al. |
| 12 | 713/320; 713/323; 713/501 | Mirov; Russell N. et al. |
| 13 | 365/226; 365/228; 365/229; 710/14; 711/154; 713/300; 713/320; 713/321; 713/323 | Mirov; Russell N. et al. |
| 14 | 713/300; 713/323 | Mirov; Russell N. et al. |

| | Document ID | Issue Date | Pages | Title | Current OR |
|----|---------------|------------|-------|--|---------------|
| 15 | US 6728890 B1 | 20040427 | 31 | Method and apparatus for controlling a bus clock frequency in response to a signal from a requesting component | 713/300 |
| 16 | US 6718473 B1 | 20040406 | 32 | Method and apparatus for reducing power consumption | 713/320 |
| 17 | US 6700421 B1 | 20040302 | 33 | Method and apparatus for reducing power consumption | 327/159 |
| 18 | US 6691215 B1 | 20040210 | 32 | Method and apparatus for reducing power consumption | 711/167 |
| 19 | US 6608476 B1 | 20030819 | 32 | Method and apparatus for reducing power consumption | 324/103 R |
| 20 | US 6577893 B1 | 20030610 | 23 | Wireless medical diagnosis and monitoring equipment | 600/509 |
| 21 | US 6528974 B1 | 20030304 | 31 | Method and apparatus for reducing power consumption | 323/267 |
| 22 | US 6353490 B1 | 20020305 | 22 | C/N performance of broadband two-way transmission of RF signals over transmission mediums with limited bandwidth | 398/66 |
| 23 | US 6307411 B1 | 20011023 | 13 | Wide tracking range, auto ranging, low jitter phase lock loop for swept and fixed frequency systems | 327/156 |
| 24 | US 6298103 B1 | 20011002 | 10 | Flexible clock and data recovery module for a DWDM optical communication system with multiple clock rates | 375/355 |
| 25 | US 6289238 B1 | 20010911 | 24 | Wireless medical diagnosis and monitoring equipment | 600/509 |
| 26 | US 6091941 A | 20000718 | 100 | Radio apparatus | 455/126 |
| 27 | US 6081698 A | 20000627 | 102 | Radio apparatus and offset compensating method | 455/126 |
| 28 | US 5957854 A | 19990928 | 22 | Wireless medical diagnosis and monitoring equipment | 600/509 |
| 29 | US 5933196 A | 19990803 | 40 | Pixel conversion apparatus | 348/441 |
| 30 | US 5903823 A | 19990511 | 103 | Radio apparatus with distortion compensating function | 455/126 |

| | Current XRef | Inventor |
|----|---------------------------------|------------------------------|
| 15 | | Mirov; Russell N. et al. |
| 16 | | Mirov; Russell N. et al. |
| 17 | 327/156 | Mirov; Russell N. et al. |
| 18 | 327/147; 713/400; 713/600 | Mirov; Russell N. et al. |
| 19 | | Mirov; Russell N. et al. |
| 20 | | Besson; Marcus et al. |
| 21 | 327/115 | Mirov; Russell N. et al. |
| 22 | 398/163 | Singer; Samuel et al. |
| 23 | 375/376 | Kerner; Thomas M. |
| 24 | 1 | Huang; Shouhua et al. |
| 25 | 128/903 | Besson; Marcus et al. |
| 26 | 330/149; 375/297 | Moriyama; Yukihiro et al. |
| 27 | 330/149; 375/297 | Moriyama; Yukihiro et al. |
| 28 | 128/903 | Besson; Marcus et al. |
| 29 | 348/458; 348/581 | Hatano; Гакаhisa et al. |
| 30 | 330/149; 375/297 | Moriyama; Yukihiro et al. |

| ; | Document ID | Issue Date | Pages | Title | Current OR |
|----|--------------|------------|-------|---|---------------|
| 31 | US 5862803 A | 19990126 | 1// | Wireless medical diagnosis and monitoring equipment | 600/508 |
| 32 | US 5819161 A | 19981006 | 11 / | Two way radio set utilizing a single oscillator | 455/86 |
| 33 | US 5488631 A | 19960130 | 39 | Wireless direct-sequence spread spectrum TDMA communications system | 375/145 |

| | Current XRef | Inventor |
|----|------------------|----------------------------|
| 31 | 11 78/903 | Besson; Marcus et al. |
| 32 | 455/118 | Saito; Shin |
| 33 | 14 / 5 / 1 / LU! | Gold; Kenneth S. et al. |